

DAFTAR PUSTAKA

- Altamimi, M. A., Elzayat, E. M., Alhowyan, A. A., Alshehri, S., & Shakeel, F. (2018). Effect of β -cyclodextrin and different surfactants on solubility, stability, and permeability of hydrochlorothiazide. *Journal of Molecular Liquids*, 250, 323–328. <https://doi.org/10.1016/j.molliq.2017.12.006>
- Asdaq, S. M. B., & Inamdar, M. N. (2011). The potential benefits of a garlic and hydrochlorothiazide combination as antihypertensive and cardioprotective in rats. *Journal of Natural Medicines*, 65(1), 81–88. <https://doi.org/10.1007/s11418-010-0467-9>
- Asep Nurrahman Yulianto, Elisa Issusilaningtyas, Anis Yulia Rakhman, A. S. F. (2020). Formulasi Self Nanoemulsifying Drug Delivery System (SNEDDS) Hydrochlorotiazide dengan Menggunakan Minyak Golongan Medim Chain Triglyceride (MCT) dan Long Chain Triglyceride (LCT). *ALCHEMY Jurnal Penelitian Kimia*.
- B.D. Mistry. (2009). *A Handbook of spectroscopic Data Chemistry*. Oxford Book Company.
- BPOM. (2014). Pedoman Uji Disolusi dan Tanya Jawab. *Angewandte Chemie International Edition*, 6(11), 951–952., 5–24.
- Chabib, L., Pradana, D. A., Jamalullail, & H, N. A. (2017). Karakterisasi Formulasi SNEDDS Nano Kurkumin Sebagai Anti Arthritis Rematoid. *Prosiding Seminas Nasional Seri 7*, 7, 226–236.
- Chavda, H. V., Patel, C. N., & Anand, I. S. (2010). Biopharmaceutics classification system. *Systematic Reviews in Pharmacy*, 1(1), 62–69. <https://doi.org/10.4103/0975-8453.59514>
- Darusman, F., Dwiatama, A., & Priani, S. E. (2023). Formulasi dan Karakterisasi Self-Nanoemulsifying Drug Delivery System (SNEDDS) Esomeprazol Magnesium Trihidrat. *Jurnal Sains Farmasi & Klinis*, 10(1), 10. <https://doi.org/10.25077/jsfk.10.1.10-20.2023>
- Date, A. A., Desai, N., Dixit, R., & Nagarsenker, M. (2010). Self-nanoemulsifying drug delivery systems: formulation insights, applications and advances. *Nanomedicine*, 5(10), 1595–1616. <https://doi.org/10.2217/nnm.10.126>
- Denadai, A. M. L., Santoro, M. M., Silva, L. H. Da, Viana, A. T., Santos, R. A. S., & Sinisterra, R. D. (2006). Self-assembly Characterization of the β -Cyclodextrin and Hydrochlorothiazide System: NMR, Phase Solubility, ITC and QELS. *Journal of Inclusion Phenomena and Macrocyclic Chemistry*, 55(1), 41–49. <https://doi.org/10.1007/s10847-005-9016-7>
- Dey, S., Jha, S. K., Malakar, J., & Gangopadhyay, A. (2012). Improvement of Bioavailability of Poorly Soluble Drugs through Self Emulsifying Drug

- Delivery System. *Journal of PharmaSciTech*, 1(2), 6–11.
- Dineva, S., Uzunova, K., Pavlova, V., Filipova, E., Kalinov, K., & Vekov, T. (2019). Comparative efficacy and safety of chlorthalidone and hydrochlorothiazide—meta-analysis. *Journal of Human Hypertension*, 33(11), 766–774. <https://doi.org/10.1038/s41371-019-0255-2>
- Dorsch, M. P., Gillespie, B. W., Erickson, S. R., Bleske, B. E., & Weder, A. B. (2011). Chlorthalidone Reduces Cardiovascular Events Compared With Hydrochlorothiazide. *Hypertension*, 57(4), 689–694. <https://doi.org/10.1161/Hypertensionaha.110.161505>
- Farahiyah, D., & Syaifullah Sulaiman, T. N. (2021). Pengaruh kombinasi Superdisintegrant Crospovidone dan Croscarmellose Sodium pada sifat fisik dan disolusi Fast Disintegrating Tablet Hidroklorotiazid. *Majalah Farmaseutik*, 17(1), 140. <https://doi.org/10.22146/farmaseutik.v17i1.61756>
- Gozali, D., Bahti, H. H., & Soewandhi, S. N. (2012). Pembentukan Kokristal Antara Kalsium Atorvastatin dengan Isonikotinamid dan Karakterisasinya. *Jurnal Sains Materi Indonesia*, April, 103–110.
- Hasrawati, A., Hasyim, N., & Irsyad, N. A. (2016). Pengembangan Formulasi Mikroemulsi Minyak Sereh (*Cymbopogon Nardus*) Menggunakan Emulgator Surfaktan Nonionik. *Jurnal Fitofarmaka Indonesia*, 3(1), 151–154. <https://doi.org/10.33096/jffi.v3i1.176>
- Heade, J., Maher, S., Bleiel, S. B., & Brayden, D. J. (2018). Labrasol ® and Salts of Medium-Chain Fatty Acids Can Be Combined in Low Concentrations to Increase the Permeability of a Macromolecule Marker Across Isolated Rat Intestinal Mucosae. *Journal of Pharmaceutical Sciences*, 107(6), 1648–1655. <https://doi.org/10.1016/j.xphs.2018.02.012>
- Heshmati, N., Cheng, X., Eisenbrand, G., & Fricker, G. (2013). Enhancement of Oral Bioavailability of E804 by Self-Nanoemulsifying Drug Delivery System (SNEDDS) in Rats. *Journal of Pharmaceutical Sciences*, 102(10), 3792–3799. <https://doi.org/10.1002/jps.23696>
- Hibatullah Rahadatul Aisy, Z., Eka Puspita, O., & Febrian Shalas, A. (2021). Optimasi Formula Nanoemulsi Nifedipin Dengan Metode Self-Nanoemulsifying Drug Delivery System (SNEDDS). *Pharmaceutical Journal of Indonesia*, 6(2), 85–95. <https://doi.org/10.21776/ub.pji.2021.006.02.3>
- Hripcsak, G., Suchard, M. A., Shea, S., Chen, R., You, S. C., Pratt, N., Madigan, D., Krumholz, H. M., Ryan, P. B., & Schuemie, M. J. (2020). Comparison of Cardiovascular and Safety Outcomes of Chlorthalidone vs Hydrochlorothiazide to Treat Hypertension. *JAMA Internal Medicine*, 180(4), 542–551. <https://doi.org/10.1001/jamainternmed.2019.7454>
- Ima, A., Patihul, D., Program, H., Apoteker, S. P., Farmasi, F., Padjadjaran, U.,

- Raya, J., Sumedang, B., & 21 Jatinangor, K. M. (2017). Teknik Meningkatkan Kelarutan Obat. *Farmaka* , 15(4), 49–57.
- Information, N. C. for B. (2023). PubChem Compound Summary for CID 3639, Hydrochlorothiazide. Retrieved October 23, 2023 From. <https://pubchem.ncbi.nlm.nih.gov/compound/Hydrochlorothiazide>
- Jyothi, S. J., Reddy, R. G., & Kumar, K. K. (2016). Formulation and Evaluation of Solid Nano Emulsion of Furosemide. *World Journal of Pharmaceutical Research World Journal of Pharmaceutical Research SJIF Impact Factor Research Article ISSN*, 5805(7), 1164–1181. <https://doi.org/10.20959/wjpr20167-6529>
- Kang, J. H., Oh, D. H., Oh, Y.-K., Yong, C. S., & Choi, H.-G. (2012). Effects of solid carriers on the crystalline properties, dissolution and bioavailability of flurbiprofen in solid self-nanoemulsifying drug delivery system (solid SNEDDS). *European Journal of Pharmaceutics and Biopharmaceutics*, 80(2), 289–297. <https://doi.org/10.1016/j.ejpb.2011.11.005>
- Kristianingrum, S. (2016). Gambar 22. Model ikatan kimia. *Handout Spektroskopi Infra Merah.*, 1(1), 1–15.
- Kuruvila, Febi S., Flowerlet Mathew, and S. K. (2017). “Solid self nanoemulsifying drug delivery system (SNEDDS) devolopment, applications and future perspective: A review.” *Indo American Journal of Pharmaceutical Sciences*, 4(3), 651–669.
- Li, L., Hui Zhou, C., & Ping Xu, Z. (2019). Self-Nanoemulsifying Drug-Delivery System and Solidified Self-Nanoemulsifying Drug-Delivery System. In *Nanocarriers for Drug Delivery* (pp. 421–449). Elsevier. <https://doi.org/10.1016/B978-0-12-814033-8.00014-X>
- McCartney, F., Jannin, V., Chevrier, S., Boulghobra, H., Hristov, D. R., Ritter, N., Miolane, C., Chavant, Y., Demarne, F., & Brayden, D. J. (2019). Labrasol® is an efficacious intestinal permeation enhancer across rat intestine: Ex vivo and in vivo rat studies. *Journal of Controlled Release*, 310, 115–126. <https://doi.org/10.1016/j.jconrel.2019.08.008>
- Ms. Makadia Hiral A.*, Ms. Bhatt Ami Y., Mr. Parmar Ramesh B., Ms. Paun Jalpa S., D. T. H. M. (2013). Self-Nanoemulsifying Drug Delivery System (SNEDDS): Future Aspects. *Asian Journal of Pharmaceutical Research*, 3(1). https://asianjpr.com/HTML_Papers/Asian Journal of Pharmaceutical Research__PID__2013-3-1-5.html
- Mubarok, F. (2021). Spektrofotometer Prinsip dan Cara Kerjanya. *Farmasi Industri: Universitas Surabaya*, June, 1–9.
- Nasr, A., Gardouh, A., & Ghorab, M. (2016). Novel Solid Self-Nanoemulsifying Drug Delivery System (S-SNEDDS) for Oral Delivery of Olmesartan Medoxomil: Design, Formulation, Pharmacokinetic and Bioavailability

- Evaluation. *Pharmaceutics*, 8(3), 20.
<https://doi.org/10.3390/pharmaceutics8030020>
- Nugroho, B. H., & Sari, N. P. (2018). Fomulasi self nano emulsifiying drug delivery system (SNEDDS) ekstrak daun karamunting (*Rhodomirtus tomentosa* (Ait.) Hassk). *Jurnal Ilmiah Farmasi*, 14(1), 1–8.
<https://doi.org/10.20885/jif.vol14.iss1.art01>
- Nursanty, R. P., Subaidah, W. A., Muliastari, H., Juliantoni, Y., & Hajrin, W. (2022). Pengaruh Variasi Konsentrasi Asam Sitrat dan Natrium Bikarbonat Terhadap Sifat Fisik Granul Effervescent Sari Buah Duwet (*Syzygim cumini* L.). *Majalah Farmasi Dan Farmakologi*, 26(1), 38–43.
<https://doi.org/10.20956/mff.v26i1.12800>
- Olga Leonev Vasdazara, Hosta Ardhyanta, & Sigit Tri Wicaksono. (2018). Pengaruh Penambahan Serat Cangkang Kelapa Sawit (Palm Kernel Fiber) Terhadap Sifat Mekanik Dan Stabilitas Termal Komposit Epoksi/Serat Cangkang Kelapa Sawit. *Jurnal Teknik ITS*, 7(1), 2337–3520.
- Patel, M. J., Kevin, G., Patel, A., Raval, M., & Sheth, N. (2011). *Design and Development of a Self-Nanoemulsifying Drug Delivery System For Telmisartan For Oral Drug Delivery. International Journal of Pharmaceutical Investigation*.
- Pelita, P. D., Wahyuningsih, I., & Yuliani, S. (n. d.). (2022). *Formulasi Solid Snedds (Self-Nano Emulsifying Drug Delivery System) Furosemid Dengan Pengering Aerosil Dan Aktivitas Diuretiknya*.
<https://doi.org/https://doi.org/10.55129/jnerscommunity.v13i1.1745>
- Pratiwi, L. (2022). Self-Nanoemulsifying Drug Delivery System (Snedds): Anti-Aging Drug Delivery. *European Chemical Bulletin*, 11(10), 126–136.
<https://doi.org/10.31838/ecb/2022.11.10.017>
- Roush, G. C., & Sica, D. A. (2016). Diuretics for Hypertension: A Review and Update. *American Journal of Hypertension*, 29(10), 1130–1137.
<https://doi.org/10.1093/ajh/hpw030>
- Rowe, R. C., Sheskey, P., & Quinn, M. (2009). *Handbook of Pharmaceutical excipients* (6th ed.). Libros Digitales - Pharmaceutical Press.
<http://repositorio.ub.edu.ar/handle/123456789/5143>
- Sagala, R. J. (2019). Review: Metode Peningkatan Kecepatan Disolusi Dikombinasi Dengan Penambahan Surfaktan. *Jurnal Farmasi Galenika (Galenika Journal of Pharmacy) (e-Journal)*, 5(1), 84–92.
<https://doi.org/10.22487/j24428744.2019.v5.i1.12360>
- Sanphui, P., & Rajput, L. (2014). Tuning solubility and stability of hydrochlorothiazide co-crystals. *Acta Crystallographica Section B Structural Science, Crystal Engineering and Materials*, 70(1), 81–90.
<https://doi.org/10.1107/S2052520613026917>

- Satriawan, M. B., and I. I. (2018). "Uji ftir bioplastik dari limbah ampas sagu dengan penambahan variasi konsentrasi gelatin." *Dinamika*, 8.2, 1-13. https://scholar.google.com/scholar?q=related:dMrtFMDjstsJ:scholar.google.com/&scioq=Uji+Ftir+Bioplastik+Dari+Limbah+Ampas+Sagu+Dengan+Penambahan+Variasi+Konsentrasi+Gelatin.+Jurnal+Dinamika+&hl=id&as_sdt=0,5&as_ylo=2017&as_yhi=2023
- Scriba, G. K. E. (2011). Anthony C. Moffat, M. David Osselton, Brian Winddop and Jo Watts (Eds.): Clarke's Analysis of Drugs and Poison. *Chromatographia*, 74(7–8), 649–650. <https://doi.org/10.1007/s10337-011-2100-9>
- Sha, X., Yan, G., Wu, Y., Li, J., & Fang, X. (2005). Effect of self-microemulsifying drug delivery systems containing Labrasol on tight junctions in Caco-2 cells. *European Journal of Pharmaceutical Sciences*, 24(5), 477–486. <https://doi.org/10.1016/j.ejps.2005.01.001>
- Singh, B., Bandopadhyay, S., Kapil, R., Singh, R., & Katare, O. parkash. (2009). Self-Emulsifying Drug Delivery Systems (SEDDS): Formulation Development, Characterization, and Applications. *Critical Reviews™ in Therapeutic Drug Carrier Systems*, 26(5), 427–451. <https://doi.org/10.1615/CritRevTherDrugCarrierSyst.v26.i5.10>
- Susanti, M. (2019). Farmakokinetika dan Bioavailability Senyawa Golongan Santon Review Komprehensif. *Jurnal Penelitian Farmasi Indonesia*, 8(2), 46–51. <https://doi.org/10.51887/jpfi.v8i2.780>
- Syukri, Y., Fitria, A., Hanifah, S., & Idrati, M. (2020). Development of New Indonesian Propolis Extract-Loaded Selfemulsifying: Characterization, Stability and Antibacterial Activity. *Advanced Pharmaceutical Bulletin*, 11(1), 120–129. <https://doi.org/10.34172/apb.2021.013>
- Ulfa, R., Utami, D., & Wahyuningsih, I. (2021). Development of black cumin seed oil (*Nigella sativa* L.) SNEDDS into solid-SNEDDS and its characterization. *Pharmaciana*, 11(2), 203. <https://doi.org/10.12928/pharmaciana.v11i2.18230>
- Yeyen Nor Fitriani, INHS Cikra, Ninis Yuliati, D. A. (2015). Formulasi and evaluasi stabilitas fisik suspensi ubi cilembu (*ipomea batatas* L.) dengan suspending agent cmc na dan pgs sebagai antihiperkolesterol. *Jurnal Farmasi Sains Dan Terapan*. https://scholar.google.com/citations?view_op=view_citation&hl=id&user=Dse4hYwAAAAJ&citation_for_view=Dse4hYwAAAAJ:LkGwnXOMwfcC
- Yulia, A. (2023). *Formulasi Self Nanoemulsifying Drug Delivery System (Snedds) Hydrochlorotiazide Dengan Menggunakan Minyak Golongan Medium Chain Triglyceride (Mct)*. [Http://Repository.Universitalirsyad.Ac.Id/Id/Eprint/372](http://Repository.Universitalirsyad.Ac.Id/Id/Eprint/372)

