

**PROGRAM STUDI DIPLOMA III KEBIDANAN
UNIVERSITAS AL-IRSYAD CILACAP**

Laporan Tugas Akhir, 30 Juli 2024

Irti Muti Azimah

Asuhan Kebidanan Ibu Nifas Pada Ny. A Umur 25 Tahun P1A0 2 Jam Post Partum Dengan Ruptur Perineum Di Ruang An-Nisa RS Islam Fatimah Cilacap Tahun 2024.

xiv + 142 halaman +1 bagan + 8 lampiran + 4 tabel

ABSTRAK

Latar Belakang : Luka perineum adalah robekan yang terjadi pada saat bayi lahir baik karena ruptur maupun episiotomi, penyebab Ruptur perineum terjadi karena faktor terdiri dari ibu meliputi umur paritas, cara meneran, janin meliputi berat bayi lahir, dan persalinan presipitatus. Kasus Ruptur perineum di RS Islam Fatimah selama 3 tahun terakhir, tahun 2021-2023. Kasus nifas patologis dengan Ruptur perineum cukup tinggi yaitu 65 kasus/6,83% Penelitian ini bertujuan untuk mengetahui asuhan kebidanan pada ibu nifas dengan Ruptur perineum di RS Islam Fatimah Cilacap.

Metode : Penelitian studi kasus dengan penerapan 7 langkah manajemen kebidanan menurut varney dan catatan perkembangan dalam bentuk SOAP yang dilaksanakan pada tanggal 8 Juni 2024 dengan menggunakan teknik pengumpulan data yaitu wawancara kepada ibu, melakukan observasi, melakukan pemeriksaan fisik, dan pengambilan data melalui rekam medik ibu.

Hasil : Kasus Asuhan Kebidanan pada Ny. A umur 25 Tahun P1 A0 2 Jam Post Partum dengan Ruptur Perineum Derajat II di Ruang An-Nisa RS Islam Fatimah Cilacap Tahun 2024 dianalisis dengan hasil data fokus diperoleh melalui keadaan umum, pemeriksaan fisik, diagnosa potensial pada kasus Ny. A yaitu Infeksi tindakan segera tidak dilakukan kolaborasi dengan dokter penanggung jawab pasien (DPJP) untuk mengambil langkah tindakan secara farmakologis yang sesuai dengan kondisi pasien, evaluasi hasil diperoleh adalah keadaan umum baik dan tidak terjadi diagnosa potensial.

Kesimpulan : Berdasarkan apa yang penulis amati dan lakukan pada penelitian ini tidak di temukan adanya kesenjangan antara Teori Ruptur Perineum dengan praktik yang ada di RS Islam Fatimah Cilacap dalam mengatasi kasus tersebut.

Kata Kunci : Ibu nifas, Ruptur Perineum asuhan kebidanan

Daftar Pustaka: 27 buah (2018-2023).

**DIPLOMA III MIDWIFERY STUDY PROGRAM
AL-IRSYAD UNIVERSITY CILACAP**

Final Project Report, July 30 2024
Irti Muti Azimah

Midwifery Care for Postpartum Mothers for Mrs. A 25 Years Old P1A0 2 Hours Post Partum With Perineal Rupture in the An-Nisa Room at Fatimah Islamic Hospital Cilacap in 2024.

xiv + 142 pages +1 chart + 8 appendices + 4 tables

ABSTRACT

Background: Perineal wounds are tears that occur when a baby is born either due to rupture or episiotomy, the cause of perineal rupture occurs due to factors consisting of the mother including age, parity, how to bear, the fetus including the birth weight of the baby, and precipitate delivery. Cases of perineal rupture at Fatimah Islamic Hospital during the last 3 years, 2021-2023. Pathological postpartum cases with perineal rupture are quite high, namely 65 cases/6.83%. This study aims to determine midwifery care for postpartum mothers with perineal rupture at Fatimah Islamic Hospital, Cilacap.

Method: Case study research with the application of the 7 steps of midwifery management according to Varney and progress notes in soap form which was carried out on June 8 2024 using data collection techniques, namely interviews with mothers, conducting observations, carrying out physical examinations, and collecting data through the mother's medical records .

Results: Case of Midwifery Care for Mrs. A 25 year old P1 A0 2 Hours Post Partum with Grade II Perineal Rupture in the An-Nisa Room at Fatimah Islamic Hospital Cilacap in 2024 analyzed with the results of focus data obtained through general condition, physical examination, potential diagnosis in the case of Mrs. A, namely infection, immediate action was not taken, then collaborated with the doctor in charge of the patient (DPJP) to take pharmacological action steps that were appropriate to the patient's condition, the evaluation results obtained were that the general condition was good and there were no potential diagnoses.

Conclusion: Based on what the author observed and carried out in this research, no gap was found between the Perineal Rupture Theory and the existing practices at the Fatimah Cilacap Islamic Hospital in dealing with these cases.

Keywords: Postpartum mothers, Perineal Rupture midwifery care

Bibliography: 24 pieces (2018-2023).