

DAFTAR PUSTAKA

- Aas, Indratmoko, S., & Elisa Issusilaningtyas. (2022). Formulasi dan evaluasi self nanoemulsifying drug delivery system (snedds) icariin sebagai afrodisiak. Skripsi Universitas Al Irsyad Cilacap, Cilacap.
- Alberti, M. et al. (2017) 'Multi-chamber microfluidic platform for high-precision skin permeation testing', *Lab on a Chip*, 17(9), pp. 1625–1634. Available at: <https://doi.org/10.1039/c6lc01574c>.
- Alghamdi, A.F. (2015) 'Quantitative Analysis of Hydrochlorothiazide and Its Determination in a Pharmaceutical Preparation by HPLC', *Pharmaceutical Chemistry Journal*, 48(12), pp. 843–847. Available at: <https://doi.org/10.1007/S11094-015-1207-Y/METRICS>.
- Altamimi, M. A., Elzayat, E. M., Alhowyan, A. A., Alshehri, S., & Shakeel, F. (2018). Effect of β -cyclodextrin and different surfactants on solubility, stability, and permeability of hydrochlorothiazide. *Journal of Molecular Liquids*, 250, 323–328. <https://doi.org/10.1016/j.molliq.2017.12.006>
- Arifin.Arifiani, Sartini. Mariant.2019. Evaluasi Karakteristik Fisik dan Uji Permeasi Pada Formula Patch Aspirin Menggunakan Kombinasi Etilselulosa dengan Polivinilpirolidon. *Jurnal Sains dan Kesehatan*. 40-49 (Vol.2). <https://doi.org/10.25026/jsk.v2i1.103>
- Asdaq, S.M.B. and Inamdar, M.N. (2011) 'The potential benefits of a garlic and hydrochlorothiazide combination as antihypertensive and cardioprotective in rats', *Journal of Natural Medicines*, 65(1), pp. 81–88. Available at: <https://doi.org/10.1007/s11418-010-0467-9>.
- Asep Nurrahman Yulianto, Elisa Issusilaningtyas, Anis Yulia Rakhman, A.S.F. (2020) 'Formulasi Self Nanoemulsifying Drug Delivery System (SNEDDS) Hydrochlorotiazide dengan Menggunakan Minyak Golongan Medim Chain Triglyceride (MCT) dan Long Chain Triglyceride (LCT)', *ALCHEMY Jurnal Penelitian Kimia* [Preprint].
- Aulia Beta (2019) 'OPTIMASI FORMULA DAN KARAKTERISASI TABLET SELF NANOEMULSIFYING DRUG DELIVERY SYSTEM ASAM MEFENAMAT MENGGUNAKAN VARIASI PENGIKAT DAN PENGHANCUR DENGAN FACTORIAL DESIGN'. Available at: https://repository.unsri.ac.id/1957/1/RAMA_48201_08061281520077_00102658002_NIDN2_01_front_ref.pdf.
- Baloch, J. et al. (2019) 'Self-Nanoemulsifying Drug Delivery System (SNEDDS) for Improved Oral Bioavailability of Chlorpromazine: In Vitro and In Vivo Evaluation', *Medicina 2019, Vol. 55, Page 210*, 55(5), p. 210. Available at:

<https://doi.org/10.3390/MEDICINA55050210>.

- Bartos, C. et al. (2021) 'Comparison of Modern In Vitro Permeability Methods with the Aim of Investigation Nasal Dosage Forms', *Pharmaceutics* 2021, Vol. 13, Page 846, 13(6), p. 846. Available at: <https://doi.org/10.3390/PHARMACEUTICS13060846>.
- Chandra, D. (2019) 'PENGUJIAN PENETRASI IN-VITRO SEDIAAN GEL, KRIM, GEL-KRIM EKSTRAK BIJI KOPI (*Coffea arabica* L.) SEBAGAI ANTISELULIT', *JIFI (Jurnal Ilmiah Farmasi Imelda)*, 3(1), pp. 14–21. Available at: <https://doi.org/10.52943/jifarmasi.v3i1.207>.
- Darusman, F., Dwiatama, A. and Priani, S.E. (2023) 'Formulasi dan Karakterisasi Self-Nanoemulsifying Drug Delivery System (SNEDDS) Esomeprazol Magnesium Trihidrat', *Jurnal Sains Farmasi & Klinis*, 10(1), p. 10. Available at: <https://doi.org/10.25077/jsfk.10.1.10-20.2023>.
- Date, A.A. et al. (2010) 'Self-nanoemulsifying drug delivery systems: formulation insights, applications and advances', *Nanomedicine*, 5(10), pp. 1595–1616. Available at: <https://doi.org/10.2217/nmm.10.126>.
- Denadai, A.M.L. et al. (2006) 'Self-assembly Characterization of the β -Cyclodextrin and Hydrochlorothiazide System: NMR, Phase Solubility, ITC and QELS', *Journal of inclusion phenomena and macrocyclic chemistry*, 55(1), pp. 41–49. Available at: <https://doi.org/10.1007/s10847-005-9016-7>.
- Dey, S. et al. (2012) 'Improvement of Bioavailability of Poorly Soluble Drugs through Self Emulsifying Drug Delivery System', *Journal of PharmaSciTech*, 1(2), pp. 6–11.
- Dineva, S., Uzunova, K., Pavlova, V., Filipova, E., Kalinov, K., & Vekov, T. (2019). Comparative efficacy and safety of chlorthalidone and hydrochlorothiazide—meta-analysis. *Journal of Human Hypertension*, 33(11), 766–774. <https://doi.org/10.1038/s41371-019-0255-2>
- Dorsch, M.P. et al. (2011) 'Chlorthalidone Reduces Cardiovascular Events Compared With Hydrochlorothiazide', *Hypertension*, 57(4), pp. 689–694. Available at: <https://doi.org/10.1161/HYPERTENSIONAHA.110.161505>.
- Crank, J. (1975). *The mathematics of diffusion*. Oxford University Press.
- Essa, E. et al. (2023) 'Hot melt extrusion for enhanced dissolution and intestinal absorption of hydrochlorothiazide', *Journal of Drug Delivery Science and Technology*, 88, p. 104895. Available at: <https://doi.org/10.1016/J.JDDST.2023.104895>.
- Flynn, G. L., Yalkowsky, S. H., & Roseman, T. J. (1974). Mass transport phenomena and models: Theoretical concepts. *Journal of Pharmaceutical*

Sciences, 63(4), 479-510.

- Gershanik, T., & Benita, S. (2000). Self-dispersing lipid formulations for improving oral absorption of lipophilic drugs. *European Journal of Pharmaceutics and Biopharmaceutics*, **50**(1), 179–188.
- Halim, A., Sari, I.I. and Octavia, M.D. (2016) ‘Formulasi Krim Griseofulvin Dan Uji Penetrasi Menggunakan Sel Difusi Franz’, *Jurnal Farmasi Higea*, 4(1), pp. 58–64. Available at: <https://doi.org/10.52689/HIGEA.V4I1.62>.
- Hanistya, R. *et al.* (2023) ‘Review Artikel : Desain dan Karakteristik Self Nano Emulsifying Drug Delivery System (SNEDDS)’, *Camellia : Clinical, Pharmaceutical, Analytical and Pharmacy Community Journal*, 2(2), pp. 115–121. Available at: <https://doi.org/10.30651/cam.v2i2.20965>.
- Heade, J. *et al.* (2018) ‘Labrasol ® and Salts of Medium-Chain Fatty Acids Can Be Combined in Low Concentrations to Increase the Permeability of a Macromolecule Marker Across Isolated Rat Intestinal Mucosae’, *Journal of Pharmaceutical Sciences*, 107(6), pp. 1648–1655. Available at: <https://doi.org/10.1016/j.xphs.2018.02.012>.
- Hripcsak, G., Suchard, M. A., Shea, S., Chen, R., You, S. C., Pratt, N., Madigan, D., Krumholz, H. M., Ryan, P. B., & Schuemie, M. J. (2020). Comparison of Cardiovascular and Safety Outcomes of Chlorthalidone vs Hydrochlorothiazide to Treat Hypertension. *JAMA Internal Medicine*, 180(4), 542–551. <https://doi.org/10.1001/jamainternmed.2019.7454>
- Huda, N. and Wahyuningsih, I. (2018) ‘Karakterisasi Self-Nanoemulsifying Drug Delivery System (SNEDDS) Minyak Buah Merah (Pandanus conoideus Lam.)’, *Jurnal Farmasi Dan Ilmu Kefarmasian Indonesia*, 3(2), p. 49. Available at: <https://doi.org/10.20473/jfiki.v3i22016.49-57>.
- Ilmiah J, Imelda F. (2019). PENGUJIAN PENETRASI IN-VITRO SEDIAAN GEL, KRIM, GEL-KRIM EKSTRAK BIJI KOPI (*Coffea arabica* L.) SEBAGAI ANTISELULIT. *JURNAL ILMIAH FARMASI IMELDA*. Vol.3, No.1, Februari 2019.
- Indratmoko, S., . S. and Issusilaningtyas, E. (2021) ‘Formulasi, Karakterisasi Dan Evaluasi Self-Nano Emulsifying Drug Delivery System (Snedds) Ekstrak Etanol Kulit Buah Nanas Sebagai Antibakteri *Streptococcus Mutans*’, *FITOFARMAKA: Jurnal Ilmiah Farmasi*, 11(1), pp. 12–22. Available at: <https://doi.org/10.33751/jf.v11i1.2560>.
- Information, N.C. for B. (2023) ‘PubChem Compound Summary for CID 3639, Hydrochlorothiazide.’, *Retrieved October 23, 2023 from* [Preprint].
- Jaiswal, P., Gidwani, B., & Vyas, A. (2016). Self-emulsifying drug delivery system:

a review. *Asian Journal of Pharmaceutics*, 10(1), S13–S23.

- Khan, A. *et al.* (2019) ‘Discriminatory dissolution testing for liquisolid compacts containing a poorly water-soluble drug (Hydrochlorothiazide)’, *Dissolution Technologies*, 26(1), pp. 46–54. Available at: <https://doi.org/10.14227/DT260119P46>.
- Kuntari, F. R., Pranoto, S., & Sutresno, A. (2019). Studi Proses Difusi melalui Membran dengan Pendekatan Kompartemen. *J.Fis. dan Apl.*, 15(2), 62-65.
- Kommuru, T. R., Gurley, B., Khan, M. A., & Reddy, I. K. (2001). Self-emulsifying drug delivery systems (SEDDS) of coenzyme Q10: formulation development and bioavailability assessment. *International Journal of Pharmaceutics*, 212(2), 233–246.
- Listiana, L. *et al.* (2022) ‘Penetapan Kadar Tanin Dalam Daun Mangkogan (*Nothopanax scutellarium* Merr) Perasan Dan Rebusan Dengan Spektrofotometer UV-Vis’, *Pharmacy Genius*, 1(1), pp. 62–73. Available at: <https://doi.org/10.56359/pharmngen.v1i01.152>.
- Makmur, I., Rosaini, H. and Putri, W.E. (2020) ‘Karakterisasi Kompleks Inklusi Telmisartan-B-Siklodekstrin Dengan Metode Penggilingan Bersama’, *Jurnal Farmasi Higea*, 12(2).
- Mauger, J.W. (2017) ‘Physicochemical properties of buffers used in simulated biological fluids with potential application for in vitro dissolution testing: A mini-review’, *Dissolution Technologies*, 24(3), pp. 38–51. Available at: <https://doi.org/10.14227/DT240317P38>.
- McCartney, F. *et al.* (2019) ‘Labrasol® is an efficacious intestinal permeation enhancer across rat intestine: Ex vivo and in vivo rat studies’, *Journal of Controlled Release*, 310, pp. 115–126. Available at: <https://doi.org/10.1016/j.jconrel.2019.08.008>.
- Meiantari, N. K. A., Deviyanti, I. A. S., Ari, N. K. N. A., Abimanyu, M. D., Dewi, N. P. D. K., Sriani, N. K., & Arwanawati, N. N. S. M. (2020). Pengaruh Konsentrasi Gelling Agent Terhadap Difusi Sediaan Gel Vitamin C Dengan Metode Sel Difusi Franz. *Jurnal Kimia*, 14(2), 141-152.
- Ms. Makadia Hiral A.*, Ms. Bhatt Ami Y., Mr. Parmar Ramesh B., Ms. Paun Jalpa S., D.T.H.M. (2013) ‘Self-Nanoemulsifying Drug Delivery System (SNEDDS): Future Aspects’, *Asian Journal of Pharmaceutical Research*, 3(1).
- Narala, S. *et al.* (2022) ‘Creation of Hydrochlorothiazide Pharmaceutical Cocrystals Via Hot-Melt Extrusion for Enhanced Solubility and Permeability’, *AAPS PharmSciTech*, 23(1), pp. 1–11. Available at:

<https://doi.org/10.1208/S12249-021-02202-8/METRICS>.

- Nugroho, B.H. *et al.* (2017) 'Formulasi dan evaluasi SNEDDS (Self Nanoemulsifying Drug Delivery System) ekstrak daun pepaya (*Carica papaya* L.) sebagai analgesik', *Jurnal Ilmiah Farmasi*, 13(2), pp. 77–85. Available at: <https://doi.org/10.20885/jif.vol13.iss2.art5>.
- Nugroho, B.H. and Sari, N.P. (2018) 'Formulasi self nano emulsifying drug delivery system (SNEDDS) ekstrak daun karamunting (*Rhodomyrtus tomentosa* (Ait.) Hassk)', *Jurnal Ilmiah Farmasi*, 14(1), pp. 1–8. Available at: <https://doi.org/10.20885/jif.vol14.iss1.art01>.
- Nurdianti, L. (2022) 'Aktivitas Antibakteri Gel Transdermal Ektstrak Daun Sirih Hijau (*Piper Betle* L.) Terhadap Bakteri *Staphylococcus Epidermidis*', *Journal of Pharmacopolium*, 5(1), pp. 96–104. Available at: <https://doi.org/10.36465/jop.v5i1.889>.
- Patel, M. J., Kevin, G., Patel, A., Raval, M., & Sheth, N. (2011) 'Design and Development of a Self-Nanoemulsifying Drug Delivery System For Telmisartan For Oral Drug Delivery. International Journal of Pharmaceutical Investigation.'
- Pelita, P. D., Wahyuningsih, I., & Yuliani, S. (n. d.). (2022) 'FORMULASI SOLID SNEDDS (SELF-NANO EMULSIFYING DRUG DELIVERY SYSTEM) FUROSEMID DENGAN PENERING AEROSIL DAN AKTIVITAS DIURETIKNYA.' Available at: <https://doi.org/https://doi.org/10.55129/jnerscommunity.v13i1.1745>.
- Pouton, C.W. (2006). Formulation of self-emulsifying drug delivery systems. *Advanced Drug Delivery Reviews*, 60(6), 625–637.
- Priani, S.E. (2021) 'Kajian Pengembangan Sediaan Self Nanoemulsifying Drug Delivery System (SNEDDS) untuk Penghantaran Agen Antidiabetik Oral', *Jurnal Mandala Pharmacon Indonesia*, 7(2), pp. 171–187. Available at: <http://jurnal-pharmaconmw.com/jmpi/index.php/jmpi/article/view/86>.
- Rakhman, A.Y. (2023) 'FORMULASI SELF NANOEMULSIFYING DRUG DELIVERY SYSTEM (SNEDDS) HYDROCHLOROTIAZIDE DENGAN MENGGUNAKAN MINYAK GOLONGAN MEDIUM CHAIN TRIGLYCERIDE (MCT)', *Jurnal Penelitian Kimia* [Preprint].
- Roush, G.C. and Sica, D.A. (2016) 'Diuretics for Hypertension: A Review and Update', *American Journal of Hypertension*, 29(10), pp. 1130–1137. Available at: <https://doi.org/10.1093/ajh/hpw030>.
- Rowe, R.C., Sheskey, P. and Quinn, M. (2009) *Handbook of Pharmaceutical excipients*. 6th edn. London: Libros Digitales - Pharmaceutical Press.

- Sagala, R.J. (2019) 'Review: Metode Peningkatan Kecepatan Disolusi Dikombinasi Dengan Penambahan Surfaktan', *Jurnal Farmasi Galenika (Galenika Journal of Pharmacy) (e-Journal)*, 5(1), pp. 84–92. Available at: <https://doi.org/10.22487/j24428744.2019.v5.i1.12360>.
- Salamanca, C.H. et al. (2018) 'Franz Diffusion Cell Approach for Pre Formulation Characterisation of Ketoprofen Semi-Solid Dosage Forms', *Pharmaceutics* 2018, Vol. 10, Page 148, 10(3), p. 148. Available at: <https://doi.org/10.3390/PHARMACEUTICS10030148>.
- Samineni, R., Chimakurthy, J. and Konidala, S. (2022) 'Emerging Role of Biopharmaceutical Classification and Biopharmaceutical Drug Disposition System in Dosage form Development: A Systematic Review', *Turkish Journal of Pharmaceutical Sciences*, 19(6), pp. 706–713. Available at: <https://doi.org/10.4274/tjps.galenos.2021.73554>.
- Sanphui, P. et al. (2015) 'Cocrystals of Hydrochlorothiazide: Solubility and Diffusion/Permeability Enhancements through Drug-Coformer Interactions', *Molecular pharmaceutics*, 12(5), pp. 1615–1622. Available at: <https://doi.org/10.1021/ACS.MOLPHARMACEUT.5B00020>.
- Sanphui, P. and Rajput, L. (2014) 'Tuning solubility and stability of hydrochlorothiazide co-crystals', *Acta Crystallographica Section B Structural Science, Crystal Engineering and Materials*, 70(1), pp. 81–90. Available at: <https://doi.org/10.1107/S2052520613026917>.
- Sari, D.P., Mafruhah, O.R. and Sulaiman, T.N.S. (2013) 'Uji Disolusi Terbanding Tablet Metformin Hidroklorida Generik Berlogo Dan Bermerek', *Pharmaceutics Journal*, 9(1), pp. 254–258. Available at: <https://jurnal.ugm.ac.id/majalahfarmaseutik/article/view/24106>.
- Sha, X. et al. (2005) 'Effect of self-microemulsifying drug delivery systems containing Labrasol on tight junctions in Caco-2 cells', *European Journal of Pharmaceutical Sciences*, 24(5), pp. 477–486. Available at: <https://doi.org/10.1016/j.ejps.2005.01.001>.
- Singh, B. et al. (2009) 'Self-Emulsifying Drug Delivery Systems (SEDDS): Formulation Development, Characterization, and Applications', *Critical Reviews™ in Therapeutic Drug Carrier Systems*, 26(5), pp. 427–451. Available at: <https://doi.org/10.1615/CritRevTherDrugCarrierSyst.v26.i5.10>.
- Smith, C. (2024) *Diffusion - Simple - Facilitated - TeachMePhysiology*, TeachMe Physiology. Available at: <https://teachmephysiology.com/biochemistry/molecules-and-signalling/diffusion/> (Accessed: 12 October 2024).
- Sugiyati, Rini:Djajadisastra, Joshita. (2015) . Formulasi dan Uji Penetrasi In Vitro

Sediaan Gel Transfersom Mengandung Kofein sebagai Antiselulit (Formulation and In Vitro Penetration Evaluation of Transfersome Gel Preparation Contains Caffeine as an Anticellulite). *JURNAL ILMU KEFARMASIAN INDONESIA*, (Vol.13).131-136. ISSN 1693-1831.

- Syukri, Y., Fitria, A., Hanifah, S., & Idrati, M. (2020). Development of New Indonesian Propolis Extract-Loaded Selfemulsifying: Characterization, Stability and Antibacterial Activity. *Advanced Pharmaceutical Bulletin*, 11(1), 120–129. <https://doi.org/10.34172/apb.2021.013>
- Verma, S., Singh, S.K. and Verma, P.R.P. (2016) ‘Solidified SNEDDS of loratadine: Formulation using hydrophilic and hydrophobic grades of Aerosil®, pharmacokinetic evaluations and in vivo-in silico predictions using GastroPlus™’, *RSC Advances*, 6(4), pp. 3099–3116. Available at: <https://doi.org/10.1039/c5ra21796b>.
- Verma, V. *et al.* (2023) ‘Production of hydrochlorothiazide nanoparticles with increased permeability using top-spray coating process’, *The Journal of Supercritical Fluids*, 192, p. 105788. Available at: <https://doi.org/10.1016/J.SUPFLU.2022.105788>.
- Wahyuningsih, I. (2017) ‘Formulasi SELF-NANO EMULSIFYING DRUG DELIVERY SYSTEMN (SNEDDS) Furosemid: Studi Parameter Fisikokimia, Bioavaibilitas, Efek Diuretik dan Toksisitas’, *Thesis* [Preprint]. Available at: <https://etd.repository.ugm.ac.id/penelitian/detail/128654> (Accessed: 23 October 2024).
- Yadav, P.S. *et al.* (2014) ‘Development, characterization, and pharmacodynamic evaluation of hydrochlorothiazide loaded self-nanoemulsifying drug delivery systems’, *Scientific World Journal*, 2014. Available at: <https://doi.org/10.1155/2014/274823>.
- Yulianto, A.N., Widyaningsih, W. and Wahyuningsih, I. (2023) ‘Effectiveness of SNEDDS to Increased Oral Bioavailability in Antihypertension Agents: A Review’, *Journal of Advanced Zoology*, 44(3), pp. 473–483. Available at: <https://doi.org/10.17762/jaz.v44i3.769>.