

Asuhan Keperawatan Pasien Diaper Dermatitis Dengan Gangguan Integritas Kulit Dan Tindakan Pemberian Perawatan Perineal Dengan Minyak Zaitun Di Ruang Perinatologi RSUD Cilacap

Nursing Care of Diaper Dermatitis Patients with Impaired Skin Integrity and Perineal Treatment with Olive Oil in the Perinatology Room of Cilacap Hospital

Ade Lia¹, Ahmad Subandi²

^{1,2} Al-Irsyad University Cilacap

Jl. Cerme No. 24 Sidanegara Cilacap

Email : adeliabogor053@gmail.com

ABSTRAK

Ruam popok atau *diaper dermatitis* atau disebut juga *diaper rash* merupakan erupsi inflamasi di daerah yang tertutupi oleh popok, yaitu daerah paha, bokong, dan anal. Bayi yang mengalami ruam popok akan mengalami gangguan seperti rewel dan sulit tidur, terutama ketika buang air kecil atau buang air besar. Perawatan perineal dengan minyak zaitun diberikan untuk menurunkan derajat ruam popok. Tujuan penelitian ini untuk menganalisis ada pengaruh antara perawatan perineal dengan minyak zaitun dengan diaper dermatitis pada bayi di rumah sakit umum daerah cilacap. Metode jenis karya ilmiah ini menggunakan pemberian tindakan perawatan perineal dengan minyak zaitun pada bayi baru lahir sesuai dengan Standar Operasional Prosedur dan literatur jurnal. Hasil karya tulis ilmiah ini menunjukkan bahwa setelah dilakukan intervensi selama tiga hari derajat ruam popok mengalami penurunan yaitu sebelum dilakukan tindakan perawatan perineal derajat ruam popok 1 yaitu ringan sedangkan setelah dilakukan tindakan perawatan perineal derajat ruam popok menjadi 0 yaitu sangat ringan dengan indikator kerusakan lapisan kulit menurun, kemerahan menurun, suhu kulit membaik, dan tekstur membaik.

Kata kunci: Ruam popok, perawatan perineal, minyak zaitun

ABSTRACT

Diaper rash or diaper dermatitis, also known as diaper rash, is an inflammatory eruption in the area covered by the diaper, namely the thighs, buttocks and anal area. Babies who experience diaper rash will experience disturbances such as fussiness and difficulty sleeping, especially when urinating or defecating. Perineal care with olive oil is given to reduce the degree of diaper rash. The purpose of this study was to analyze the effect of perineal care with olive oil and diaper dermatitis in infants at the Cilacap General Hospital. This type of scientific work method uses the provision of perineal care with olive oil to newborns according to Standard Operating Procedures and journal literature. The results of this scientific paper show that after intervention for three days the degree of diaper rash has decreased, that is, before perineal care, the degree of diaper rash is 1, which is mild, while after perineal treatment, the degree of diaper rash has decreased to 0, which is very mild with indicators of decreased skin layer damage. , redness decreases, skin temperature improves, and texture improves.

Keywords: Diaper dermatitis, perineal care, olive oil